



Dimension

代號 型號 CODE MODEL	OAL	WB	FOH	ROH	CA	CE	OW	BW	CW	OH Approx	HH Approx	EH Approx
FRR34L-V	7255	4360	1170	1725	3435	5160	2200	2154	1660	2590	220	1000
	285.6	171.7	46.1	67.9	135.2	203.1	86.6	84.8	65.4	102.0	8.7	39.4
FRR34N-V	8155	4860	1170	2125	3935	6060	2200	2154	1660	2585	220	955
	321.1	191.3	46.1	83.7	154.9	238.6	86.6	84.8	65.4	101.8	8.7	37.6
FSR34N-V	8155	4860	1170	2125	3935	6060	2200	2259	1705	2605	220	915
	321.1	191.3	46.1	83.7	154.9	238.6	86.6	88.9	67.1	102.6	8.7	36.0
FTR34P-V	8505	5050	1440	2015	4375	6390	2400	2456	1820	2812	220	1085
	334.8	198.8	56.7	79.3	172.2	251.6	94.5	96.7	71.7	110.7	8.7	42.7
FTR34Q-V	9255	5550	1440	2265	4875	7140	2400	2456	1847	2811	220	1090
	364.4	218.5	56.7	89.2	191.9	281.1	94.5	96.7	72.7	110.7	8.7	42.9

單位: 毫米, 吋 Unit: mm, Inch

以上規格如有更改, 恕不另行通告。
 此引擎符合廢氣管制環保5 (Euro5) 及香港噪音管制標準。
 備有耗油量資料可供查閱。
 圖示之設備可能與實物有異

072013





Dimension

代號 MODEL	代號 CODE	OAL	WB	FOH	ROH	CA	CE	OW	BW	CW	OH Approx	HH Approx	EH Approx
FVR34MC-V		7955	4650	1440	1865	3975	5840	2400	2456	1845	2812	240	1095
		313.2	183.1	56.7	73.4	156.5	229.9	94.5	96.7	72.6	110.7	9.4	43.1
FVR34QC-V		9255	5550	1440	2265	4875	7140	2400	2456	1845	2810	240	1095
		364.4	218.5	56.7	89.2	191.9	281.1	94.5	96.7	72.6	110.6	9.4	43.1
FVR34SC-V		10005	6050	1440	2515	5375	7890	2400	2456	1845	2809	240	1095
		393.9	238.2	56.7	99.0	211.6	310.6	94.5	96.7	72.6	110.6	9.4	43.1

單位：毫米,吋 Unit : mm ,Inch

總重量：16,000 公斤 G.V.W. : 16,000kg

圖示之設備可能與實物有異



Dimension

代號 型號 CODE MODEL	OAL	WB	FOH	ROH	CA	CE	OW	BW	CW	OH Approx	HH Approx	EH Approx
FRR90K-V	6975	4060	1170	1745	3495	5240	2200	2177	1660	2563	220	940
	274.6	159.8	46.1	68.7	137.6	206.3	86.6	85.7	65.4	100.9	8.7	37.0
FRR90M-V	7875	4660	1170	2045	4095	6140	2200	2177	1660	2563	220	920
	310.0	183.5	46.1	80.5	161.2	241.7	86.6	85.7	65.4	100.9	8.7	36.2

單位：毫米,吋 Unit : mm ,Inch

總重量: 11,000公斤 G.V.W.: 11,000kg

圖示之設備可能與實物有異